


mob

INSTALLATION INSTRUCTIONS



Before Installation _____

Check whether the product in the package is consistent with the installation instructions


Make sure the product is suitable for the use environment (pressure : 0.03 MPa - 1 MPa, temperature: 5°C - 9 0°C)

Check whether the product and spare parts are damaged

Turn off the waterway switch before installation


Prepare the tools you may need

Recommend Tools




Dimensions

Unit:mm




1




For the first-time install, flush the pipes first by opening the angel valve to run 60s

2




Connect the pipe to the water port, Bottom (H) for hot water and right (C) for cold water

3




Get the wall cut accordingly to the instruction, check the horizontality and verticality of the valve box, adjust if necessary. Then Fix the valve box onto the wall.

4




Pressurize the test pipeline for hydraulic pressure to check for leaks
Use Cement or other materials to cover the wall and Valve box.

5




Get the hollow wall cut, and Install the box and valve from the back of hollow wall ,then fix the screws.

6




Fill cement to fix the embedded box, cut out the part of the embedded box above the wall.

7




Remove the plastic plate and install the valve assembly.

8



Open holes on the tiles and paste them according to the dimensions shown in the figure.

9



Install other components.

Before Use

In order to ensure the faucet functional stability and long-lasting appearance, please follow the following precautions:

The main body of the faucet is made of high-quality brass. Brass is soft, so do not hit it with hard objects;

Each component of this product has been professionally assembled and tested before leaving the factory. Non-professionals should not disassemble it to avoid affecting the product warranty;

Do not use this product at overpressure or temperature to avoid excessive harm to your body and irreversible damage to the product;

In order to maintain a better appearance, rinse the surface stains with clean water after each use;

Do not use metal or other hard cleaning tools to clean the product surface to avoid scratching the product;

Do not use acidic or other highly corrosive cleaners to clean the product surface to avoid damaging the product surface coating;

When a product malfunctions, contact the dealer promptly to send a professional to perform maintenance.